F. No. J-11011/186/2004- IA II (I)

Government of India

Ministry Environment and Forests

(IA Division)

Paryavaran Bhavan CGO Complex, Lodhi Road New Delhi – 110 003.

> E-mail: pb.rastogi@nic.in Telefax: 011-24367668 Dated 22nd March, 2006

Shri S.R. Bhagat Managing Director Shree Someshwarnagar Taluka Baramati Pune – 412 306 Maharashtra

Fax No.: 02112-282412

E-mail: someshwarsakhar@vsnl.net

Subject: 33 KLPD Distillery unit by M/s Shree Someshwar Sahakari Sakhar Karkhana Ltd. at Shree Someshwarnagar, Baramati, Pune, Maharashtra - Environmental clearance reg.

Sir.

This has reference to your letter No. Civil/2016/2004-05 dated 1st September, 2004 alongwith questionnaire, EIA/EMP and related project documents on the above mentioned project.

- 2.0 The Ministry of Environment and Forests has examined your application. It is noted that proposal is for setting up of a distillery unit (33 KLPD capacity) and will be located in 11.60 ha within the existing premises of 87 ha. of 3,500 TCD sugar factory of the company at Someshwarnagar, Pune, Maharashtra. The company will adopt continuous fermentation technology with yeast recycle system. Bio-composting will be practiced for utilization of spentwash from the distillery and pressmud from the sugar mill to ensure 'zero' discharge. Requirement of molasses will be 35,640 TPA, out of which 22,600 TPA will be met from the company's own sugar mill and 13,040 TPA from other nearby sugar mills. Multi-cyclone and scrubber shall be provided to the boiler to control air emissions. Water requirement for the project will be 444 m³/d, which will be met from the Nira Left Bank Canal. Spentwash generated will be used for bio-composting, for which 24 acres has been earmarked. Solid wastes generated in the form of boiler ash and yeast sludge which will be used for bio-composting. Green belt will be developed in 5 ha. Public hearing was held on 30th December, 2002. "NOC" has been accorded by the Maharashtra Pollution Control Board (MPCB) on 30th April, 2003. Cost of the project is Rs. 10.81 Crores.
- 3.0 The Ministry of Environment and Forests hereby accords environmental clearance to above project under the provisions of EIA Notification dated 27th January, 1994 as amended subsequently subject to strict compliance of the following specific and general conditions:

Secretary Secretary

(A) SPECIFIC CONDITIONS:

- i. The industry shall ensure that the treated effluent and stack emissions from the unit are within the norms stipulated under the EPA rules or SPCB whichever is more stringent. In case of process disturbances/failure of pollution control equipment adopted by the unit, the respective unit should be shut down and should not be restarted until the control measures are rectified to achieve the desired efficiency.
- ii. The company shall adopt continuous fermentation technology and ensure that distillery shall be operated on molasses as raw material and spent wash generation shall not exceed 264 m³/d. The spent wash generation would be @ of 8 kl/kl of alcohol produced. The spent wash shall be treated in bio-methanation plant followed by aerobic bio-composting to achieve "zero discharge".
- Land and other requirements for treatment of spent wash with press mud shall be as per the CPCB guidelines. As committed to the Ministry, the Company shall earmark an area of 24 acres for the compost plant, storage of press mud and bio-compost. The Company shall take all necessary measures to avoid any leakage or pilferage of the spent wash in any surface/ground water body during transportation from the distillery unit to the compost plant.
- iv. The spent wash shall be stored in impervious lagoons. The spent wash lagoons shall have proper lining with HDPE and should be kept in proper condition to prevent ground water pollution. As per the CPCB recommendations, storage should not exceed more than 30 days. Spent lees generated shall be used for molasses dilution and condensate shall be recycled back to the boilers as feed water.
- v. Adequate numbers of ground water quality monitoring stations around the bio-compost plant and the project area shall be set up. Sampling and trend analysis monitoring must be made on monthly basis and report submitted to MPCB and this Ministry.
- vi. The Company shall install multi-cyclone and scrubber with minimum 95% efficiency to control the air emissions from the boiler installed in the distillery unit to achieve the particulate emissions within the prescribed standards.
- vii. ETP sludge and boiler ash shall not be disposed off outside the plant premises and appropriately used in bio-composting.
- viii. Green belt shall be provided in 5.0 ha, to mitigate the effects of fugitive emissions all around the plant as per the CPCB guidelines in consultation with the local DFO.
- ix. Company shall adopt surface as well as roof top rainwater harvesting measures to recharge the ground water.
- X. Occupational health surveillance programme shall be undertaken as regular exercise for all the employees. The first aid facilities in the occupational health centre should be strengthened and the medical records of each employee should be maintained separately.

GENERAL CONDITIONS: (B)

- The project authorities must strictly adhere to the stipulations made by the Maharashtra Pollution Control Board (MPCB) and the State Government. i.
- No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. ii.
- Ambient air quality monitoring stations shall be set up in the down wind direction as well as where maximum ground level concentration of SPM, SO2, NOx are anticipated in iii. consultation with the MPCB.
- Adequate number of influent and effluent quality monitoring stations shall be set up in consultation with the MPCB. Regular monitoring shall be carried out for relevant iv. parameters.
- The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, V. silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- The project proponent shall also comply with all the environmental protection measures Vi. and safeguards recommended in the EIA report.
- A separate environmental management cell equipped with full fledged laboratory facilities must be set up to carry out the environmental management and monitoring VII. functions. The project authorities shall provide adequate funds both recurring and non recurring to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government alongwith the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.
- The implementation of the project vis-à-vis environmental action plans will be monitored VII. by Ministry's Regional Office at Bhopal / MPCB / Central Pollution Control Board. A six monthly compliance status report along with the monitored data shall be submitted to the monitoring agencies.
- The Project Proponent shall inform the public that the project has been accorded VIII. environmental clearance by the Ministry and copies of the clearance letter are available with the State Pollution Control Board/Committee and may also be seen at Website of the Ministry of Environment and Forests at http://envfor.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional office.
- The Project Authorities shall inform the Regional Office as well as the Ministry the date ix. of financial closure and final approval of the project by the concerned authorities and the date of start of land development work.


- The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner will implement these conditions.
- The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 murat 32/3/06 alongwith their amendments and rules,

(Dr. P. B. Rastogi) Additional Director

Copy to:

- The Secretary, Department of Environment and Forests, Govt. of Maharashtra, Mumbai
- The Chief Conservator of Forests (Central), Ministry of Environment & Forests, Regional Office, Link Road No.3, E - 5, Arera Colony, Bhopal - 462 016, M.P. 2.
- The Chairman, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi - 110 032. 3.
- The Chairman, Maharashtra Pollution Control Board, Shri Chatrapati Shivaji Maharaj Municipal Market Building, 4th Floor, Mata Ramabai Ambedaker Road, Mumbai - 400
- Joint Secretary (CCI-I) Ministry of Environment and Forests, Paryavaran Bhavan, CGO 5.
- Monitoring Cell, Ministry of Environment and Forests, Paryavaran Bhavan, CGO 6. Complex, New Delhi.
- Guard File. 7.
- Monitoring File. 8.
- Record File. 9.

(Dr. P. B. Rastogi) Additional Director



Government of Maharashtra

SEAC 2009/CR 22/1/C2

Levir action department Room No. 217 Lead thou Magnalay, Annexe. Mumbar 400 032 Detect, 10th Lebium .. 2011

Shri Someshwar Sahakuri Sakhar Karkhana Ltd., Someshy magar, TAL- Baramati,

Dist. Pime. Mahar-contra-

Sub: 5500 TCD sugar plant at Someshwarnagar Tal

Baramati, Dist. Pune- Environmental clearance regarding

Sir.

This has reference to your communication No 29? dated 25th April, 2016 on the above mentioned subject. The proposal was considered as per the ELA Notification 2006, by the State Level Expert Appraisal Committee in its 18th meorie, & recommended for prior Environment Clearance to State Level Environment Impact Assessment Authority (SFIAA), Proposal was considered by State Level Environment Impact Assessment Authorization in its 45 accepting.

It is noted that the proposal is for grant of the tremmental elegance for 5500 TCD Sugar Plant at Someshware agar. Tal- Bareman, Dist-Pun-

Project information from documents submitted by you & considered by SFAC & SEIAA is summarized as below:

Project- 5500 TCD Sugar Plant.

Project Proponent: Shri Someshwar Sahakari Sakhar Karkhana Ltd.

Project Land : 4 acer

Estimated cost of the project : Rs.53.29 Cr.

Raw material -

Stigar cone- 5500 1(1)

Water requirement: Sour, MIX Fillment generated 89.

Solid Waste Generation:

Total fly ash generated, 28.8 TPD

Disposal: Ash will be mixed with press mud and used as in many

Air pollution control measures:

Electrostatic precipitator will be installed to reduce dust emission [weil RCC Chimney is of the height 70 meters.]

Environmental Management Plan:

Construction phase: Capital cost -Rs. 4.65 Crores Operation phase: Capital cost -Rs. 0.50 Crores

- 3. The proposal has been considered by SEIAA in its 15th meeting dated on 31th October, 2016 & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:-
 - "Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
 - No land development / construction work preliminary or otherwise relating to the project shall be taken up without obtaining due clearance from respective authorities.
 - No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
 - (iv) No fuel other than mentioned above including egal shall be used without obtaining proper permission.
 - (v) For controlling fugitive natural dust, regular sprinkling of water at wind shields at appropriate distances in vulnerable areas of the plant shall be ensured.
 - (vi) Regula: monitoring of the air quality, including SPM & SO2 levels both in work zone and ambient air shall be carried out in and around the power plant and records shall be maintained. The location of monitoring stations and frequence of monitoring shall be decided in consultation with Maharashtra Pollution Control Board (MPCB) & submit report accordingly to MPCB.
 - with a detailed whome for rainwater barvesting shall be prepared and implemented to recharge ground water.
 - Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.
 - (ix) Leq of Noise level shall be maintained as per standards. For people working in the high noise aren, requisite personal protective equipment like earplugs etc. shall be provided.
 - The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. On all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules 1989
 - Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried our considering CPCB guideline including selection of plant species and in consultation with the local DEO agriculture Dept
 - On) Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be instatled as strategic places for early detection and warning.
 - (xiii) Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.

Philade

- the company shar make the arrangement for processor of place is fine hazards during manufacturing process in material handling.
- the project authorate must strictly comprosents the rules of angulations with regard a manifold, and disposal of herordous wastes in 2. Admist with the Hazardous Wishes (Management and Hamiling) Rule (2005) A theoryation from the MPC is share on obtained for collections transmitted stage disposal of hazardous wastes.
- (xxi) The company shall undertake following Waste Minimization Measures .
 - a. Metering of quantities of active ingredients to minimize waste.
 - b. Reuse of by- products from the process as raw material substitutes in other process.
 - c. Maximizing Recoveries.
 - d. It so of automated material transfer system to minimize spoinge
 - e. Use of "Closed Feed" system into batch reactor .
- (xxii) Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.
- (xxiii) A separate environment management cell with qualified staff snail be set up for implementation of the stipulated environmental safeguards.
- (NN) Transportation of ash will be through closed containers and all measures should be taken to prevent spilling of the ash.
- (xx) The Loai will be transported through closed containers.
- (xxi) Proper coal handling, transportation and handling system should be as per pion approved by MPCB.
- (xxii) Separate siles will be provided for collecting and storing bottom ash and fly ash.
- (ANIII) Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year wise expenditure should reported to the MPCB & this department
- The project management shall advertise at least in two local newspapers with its circulated in the region around the project, one of which shall be in the marathal ianguage of the local concerned within seven days of issue of this letter informing that the project has been accorded environmental ofcarance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://envis.maharashtra.gov, in
- Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions to hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- Municipal Corporation and the local NGO, if any their schemes suggestions representations, if any, were received while processing the proposed. The clearupes aerter shall also be put on the website of the Company by the proponents.
- (xxvii) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonai Office of CPCB and the SPCR. The criteria pollutant levels namely; SPM, RSPM, SO₂, NOx (ambient levels as well as stack emissions; or critical sectoral parameters, indicated for the project death of

12 LAC

monitored and displayed as a convenient location near the main gate of the company in the public domain.

(xxviii) The project proponent shall also submit six monthly reports on the status of compliance of the supulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoFF, the respective Zonal Office of CPCB and the SPCB.

(xxix) The environmental statement for each financial year ending of March as Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules. 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

The environmental clearance is being issued without prejudice to the court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision of the Hon'bic court will be binding on the project proponent. Hence this clearance does not give

immunity to the project proponent in the case filed against him.

The Environment department reserves the right to revoke the clearance it conditions 4. stipulated are not implemented to the satisfaction of the department or for that matter. for any other administrative reason.

- Validity of Environment Clearance: The environmental clearance accorded shall be S. valid for a period of S years to start of production operations by the sugar plant.
- In case of any deviation or alteration in the project proposed from those submitted to Ó. this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional carviroumental protection measures required, if any,
- The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wustes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

(Valsa R Nau Singh) Secretary, Environment department & MS, SL13.

1. Shri, Ashok Basak, IAS (Retd.), Chairman, SEIAA, 502, Charleville 'A' Road, Churchgate, Munibai- 400 020, Maharashira.

- 2. Shri, P.M.A Hakeen: IAS (Retd.), Chairman, SEAC (lugar) Softaram Road, Calicur- 673 006 Kerla.
- 3. The Secretary, Energy department, Goyt, of Maharashtra, Mantralaya, Mambai -400032 . Maharashura
- d. Member Secretary, Maharashtra Poliution Control Bourd, with request to display a copy of the clearance.
- The CCF Regional Office, Ministry of Environment and Jorest (Regional Office, Western Region, Kendriya Paryavaran Bhavan, Link Road No. 3, E-5, Ravi-Shankar Nagar, Bhopal- 462 016). (MP).
- Regional Office, MPCB, Pune
- 7. Collector, Pune
- 8. IA Division, Monitoring Cell, MoEF, Paryavaran Bhasan, CGO Complex. Lodhi Road, New Delhi-110003.
- Director (1C-1), Dy, Secretary (TC-2), Scientist-1, Environment described:
- in Scientifica (C-3).

Covernment of Maharashtra

SEAC-2009/CR 22/TC2 Environment department Room No. 217, and theor Mantralaya Annexe. Mumbai 400 332 Dated: 3st November, 2009

Shree Someshwar Sahakari Sakhar Karkhana Lio Someshwarnagar TAL:Baramati Dist - Pune, Maharashtra

Sub: Baggase based 18 MW Cogeneration power plant at Someshwar Nagar, Tat - Baramatt, Dist - Pune - Environmental clearance regarding.

Sir

This has reference to your communication no. 297 dated 25° April 2009 on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee in its 18th meeting & recommended for prior Environment Clearance to State Level Environment Impact Assessment Authority (SEIAA). Proposal was considered by State Level Environment Impact Assessment Authority in its 15° meeting.

It is noted that the proposal is for grant of environmental clearance for Baggase based
 MW Cogeneration power plant at Someshwar Nagar, Tal. - Baramati, Dist. - Punc.

Project information from documents submitted by you & considered by SEAC & SEIAA is summarized as below:

Project - Baggase based 18 MW Cogeneration power plant

Project Proponent: M/s. Someshwar Sakhari sakhar karkhana Ltd.,

Project Land: 4 acer

Estimated cost of the project: Rs. 86.54 Cr

Power Generation: 18 MW au-generation

Raw material- Bagasse - 964.8 MT/day and cane trash (ut) season:

Water requirement: 166 CMD, Effluent generated; 892.5 M3/day

Solid Waste Generation:

Total fly ash generated: 28.8 TPD

Makin

Disposal: Ash will be mixed with press mud and used as manure Spent oil: 0.2 T A. Disposal: It will be send to authorized recyclers. Green belt area: 33% of Total open land; Total 500 plants shall be niamed per year in addition to existing 1500 plants shall be planted.

Air pollution control measures:

Electrostatic precipitator will be installed to reduce dust emission level RCC Chimney is of the height 70meters.

Environmental Management Plau:

Construction phase: Capital cost -Rs. 4.65 Crores Operation phase: Capital cost -Rs. 0.50 Crores

- 3. The proposal has been considered by SEIAA in its 15th meeting dated on 31th October, 2009 & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:
 - "Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site
 - (ii) No land development / construction work preliminary or otherwise relating to the project shall be taken up without obtaining due clearance from respective authorities.
 - (ili) No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
 - (iv) No fuel other than mentioned above including coal shall be used without obtaining proper permission.
 - (v) For controlling fugitive natural dust, regular sprinkling of water & wind shields at appropriate distances in vulnerable areas of the plant shall be ensured.
 - Regular monitoring of the air quality, including SPM & SO2 levels both in work zone and ambient air shall be carried out in and around the power plant and records shall be maintained. The location of monitoring stations and frequency of monitoring shall be decided in consultation with Maharashtra Pollution Control Board (MPCB) & submit report accordingly to MPCB.
 - (vii) A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.
 - (viii) Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pottution Control Board.
 - (ix) Leq of Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplags etc. shall be provided.
 - The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. On all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1980
 - (xi) Green best shall be developed & maintained around the plant periphery Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFOV Agriculture Cheet.
 - (xii) Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.

Chtran

(xiii) Occupational health surveillance of the workers shall be done on a regutar basis and record maintained as podfactories Act.

The company shall make the arrangement for protection of possible fine hazares KINT

during manufacturing process in material handling.

- The project authorities must strictly comply with the rules and regulations with 1841 regard to handling and disposal of trazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003. Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal al hazardous wastes
- The company shall undertake following Waste Minimization Measures

a. Metering or quantities of active ingredients to minimize waste.

h. Reuse of by- products from the process as raw materials or as raw material substitutes in other process.

c. Maximizing Recoveries.

d. Use of automated material transfer system to minimize spillage.

ise of "Closed Feed" system into batch reactors.

(xvis) Regular mock drills for the on-site emergency management plan shall be carried out, implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.

(xvili) A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.

(xix) Transportation of ash will be through closed containers and all measures should be mken to prevent spllling of the ash.

The coal will be transported through closed containers. (XX)

Proper cost handling, transportation and handling system should be us per plan approved by MPCB.

(xxii) Separate siles will be provided for collecting and storing bottom ash and fly ash.

- (xxlii) Separate funds shall be allocated for implementation of environmental protection measures/EMP along with itemswise breaks-up. These cost small be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reparted to the MPCB & this department
- (xxiv) The project management shall advertise at least in two kinal newspapers widely circutated in the region around the project, one of which shall be in the maratar language of the local concerned within seven days of issue of this letter, informing that the project has been succorded environmental clearance and copies of clearance letter are available with the Mahamshira Positition Control Board and may also be seen at Website at http://envis.maharushtna.gov.in

(XXV) Project munagement should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1" June & 1" December of each

calendar year.

(xxvi) A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions representations, if any, were received white processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent

(xxvii) The proponent shall apload the status of compliance of the stipulated EC conditions, including results of anonitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria potlatant levels namely; SPM. RSPM. SO2, NOx (ambient levels as well as stack

March

emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.

(XXIX) The environmental statement for each financial year ending 31th March to Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules. 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give

immunity to the project proponent in the case filed ugainst him.

4. The Environment department reserves the right to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that maner for any other administrative reason.

- Validity of Environment Clearance: The environmental clearance accorded shall be valid for a period of 5 years to sure of production operations by the power plant.
- 6. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
- 7. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

(Valsa R Nair Singh) Secretary, Environment department & MS, SELAA

MALA

Copy to:

 Shri. Ashok Basak, IAS (Roid). Chairman, SEIAA, 502. Charleville, "A" Road, Churchgaic, Mumbai- 400 020. Maharashtra.

- 2. Shri, P.M.A Hakeemi (AS) (Retd.); Chairman, SEAC, 'Jugnu' Konaram Road, Calicul, 673 006 Kerlau' (
- 3. The Secretary, Energy department, Govt. of Maharashita, Maharalaya, Mumbar-400032, Maharashita
- 4. Member Secretary, Malarishtra Pellution Control Board, with request to display a copy of the clearance.
- The CCE, Regional Office, Ministry of Environment and Forest (Regional Office, Western Region, Kendriya Paryavaran Bhavan, Link Road No. 3, E-5, Ravi-Shankur Nagar, Bhopai- 462 016). (MP).
- 6. Regional Office, MPCB, Pune
- 7. Collector, Pune
- IA- Division, Monitoring Cell, MoEF. Paryavaran Bhavan, CGO Complex, Lodhi Road, New Delhi-110003.
- 9. Director(TC-1), Dy. Secretary(TC-2), Scientist-1. Environment department
- 10, Scient file (TC-3);